




安裝部位加工尺寸



配管方式



S:Rc螺紋配管型

※本圖表示FP-S型產品

型號表示

FP 065 0 -



- 本體尺寸
 ■ 配管方式
 ■ 選配件 (選擇無標記時)

外形尺寸表以及安裝部位加工尺寸表




(mm)

型號	FP0390-□	FP0550-□	FP0650-□	FP0750-□	FP0900-□
全行程	9.7	7.5	8.5	10	12
美製行程	3.9	5	5.3	7	8.7
A	65	74	85	100	120
B	54	69	81	92	107
C	45	60	70	80	95
D	39	55	65	75	90
E	20	25	30	38	47.5
F	38	47	57	68	83
G	27	27	28	32	37
H	31.5	39	46	52	59.5
J	22.5	30	35	40	47.5
K	34	47	55	63	75
L	73	88	106	116	136
M	12	12	12	16	18
Nx	26	33.5	39.5	45	52.5
Ny	9	12	15	18	18.5
P	3	3	5	5	5
Q	9	11	11	14	17.5
R	5.5	6.8	6.8	9	11
S	18.5	16.5	17	19	21
倒角	3	3	4	5	6
CA	MSX0.8	M6	M6	M8	M10
供油	Rc螺紋	Rc1/8	Rc1/8	Rc1/4	Rc1/4
噴氣清潔用供風	Rc螺紋	Rc1/8	Rc1/8	Rc1/4	Rc1/4
O形密封圈	-O型	1BP5	1BP5	1BP7	1BP7
內螺紋堵頭	-O型	R1/8	R1/8	R1/4	R1/4



外形尺寸

G:板式連接型(配有R螺紋堵頭)


※本圖表示FP-G型產品



安裝部位加工尺寸




配管方式



S:Rc螺紋配管型

※本圖表示FP-S型產品

型號表示



- 1 本體尺寸
2 配管方式
3 選配件(選擇D時)


外形尺寸及安裝部位加工尺寸表

(mm)

型號	FP0390-□D	FP0550-□D	FP0650-□D	FP0750-□D	FP0900-□D
全行程	6.7	7.5	8.5	10	12
夾緊行程	3.8	5	5.3	7	8.7
A	65	74	85	100	120
B	54	69	81	92	107
C	45	60	70	80	95
D	39	55	65	75	90
E	20	25	30	38	47.5
F	38	47	57	68	83
G	27	27	28	32	37
H	31.5	39	46	52	59.5
J	22.5	30	35	40	47.5
K	34	47	55	63	75
L	73	88	106	116	136
M	12	12	12	16	16
Nx	26	33.5	39.5	45	52.5
Ny	9	12	15	16	18.5
P	3	3	5	5	5
Q	9	11	11	14	17.5
R	5.5	6.8	6.8	9	11
S	18.5	16.5	17	19	21
T	16	20	30	30	30.5
U	7	7	7	11	11
倒角	3	3	4	5	6
CA	M5X0.8	M6	M6	M8	M10
供油 Rc螺紋	Rc1/8	Rc1/8	Rc1/8	Rc1/4	Rc1/4
噴氣清潔用供氣 Rc螺紋	Rc1/8	Rc1/8	Rc1/8	Rc1/4	Rc1/4
冷卻液排出口 Rc螺紋	Rc1/8	Rc1/8	Rc1/8	Rc1/4	Rc1/4
O形密封圈 -G型	1BP5	1BP5	1BP7	1BP7	1BP7
R螺紋堵頭 -O型	R1/8	R1/8	R1/8	R1/4	R1/4

選配項：牽引螺栓

LZ 055 0 - FP1

尺寸
(請參照下表)

(mm)

型號	LZ0390-FP1	LZ0550-FP1	LZ0650-FP1	LZ0750-FP1	LZ0900-FP1
對應機型號	FP0390-□□ FQ0360-□□	FP0550-□□ FQ0390-□□	FP0650-□□ FQ0470-□□	FP0750-□□ FQ0550-□□	FP0900-□□ FQ0750-□□
A	25.8	30	35.5	45	56
B	15.8	18	21.5	27	33.5
C	2	2.6	3	3.8	5
D	5.5	7.5	8	10.5	12.5
E	7.7	9.7	11.5	14.5	18.5
F	6.3	9.1	9.1	11.3	14.8
G	5	7.5	7.5	9.5	12.2
H	5.3 $\begin{smallmatrix} 0.010 \\ 0.001 \end{smallmatrix}$	6.5 $\begin{smallmatrix} 0.015 \\ 0.005 \end{smallmatrix}$	8 $\begin{smallmatrix} 0.015 \\ 0.005 \end{smallmatrix}$	10 $\begin{smallmatrix} 0.015 \\ 0.005 \end{smallmatrix}$	12.5 $\begin{smallmatrix} 0.015 \\ 0.005 \end{smallmatrix}$
J	7.7	9.7	11.5	14.5	18.5
K	R2	R2.5	R3	R3.75	R4.76
L	5.5	8	8	10	13
M	5	7	7	8.5	11
N	15	18	20	26	33
P	9.5	12	13.5	18	22
Q	2.5	2.5	2.5	3	4
R	1.2	1.2	1.2	2	2.5
S	3.5	4	5	7	8.5
T	6.5	8.2	10	13.5	17
U	3	3.5	4	5	7
V	11.5	13.5	16	21	26
W	6.5	8.2	10	13.5	17
X	R2	R2.5	R3	R4	R5
Y (標準X間距)	M8X1.25	M10X1.5	M12X1.75	M16X2	M20X2.5
Z	40.8	48	55.5	71	89